

Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Section 1: Identification

Product name : Ti-Pure™ R-706 Titanium Dioxide Pigment

Product code : D10601280

SDS-Identcode : 130000030872

Manufacturer or supplier's details

Company : The Chemours Malaysia Sdn. Bhd. (for use in New Zealand)

Address : Suite 20-01 & 20-02B, Level 20, The Pinnacle, Persiaran La-

goon, Bandar Sunway, Subang Jaya Selangor Darul Ehsan 47500 Malaysia

Telephone : +60 3 5021 0178

Emergency telephone number : NZ Poisons Information Centre: 0800 764766; NZ Transport

Emergency: +64 9 801 0034

Telefax : +60 3 2178 4719

Recommended use of the chemical and restrictions on use

Recommended use : Colouring agent

Pigment

Restrictions on use : For industrial use only.

Section 2: Hazard identification

GHS Classification

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Supplied by Cathay Industries Australasia Pty Ltd

Sydney • Melbourne • Brisbane • Adelaide • Perth www.cathayindustries.com.au | Member of the Global Cathay Industries Group Sydney Head Office 103 Vanessa Street, Kingsgrove NSW 2208 T: (02) 9336 1000 | F: (02) 9150 6677 | After hours 0418 221 249

POISONS INFORMATION CENTRE

13 11 26 from anywhere in Australia (0800 764 766 in New Zealand)

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damag-

ing the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protec-



Ti-Pure™ R-706 Titanium Dioxide Pigment

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.08.2021

 6.0
 08.03.2022
 1560898-00015
 Date of first issue: 21.04.2017

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Titanium dioxide	13463-67-7	>= 60 -<= 100	
Aluminium hydroxide	21645-51-2	< 10	
Trimethylolpropane	77-99-6	< 3	

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

irritant effects

Suspected of damaging fertility. Suspected of damaging the

unborn child.



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version **Revision Date:** SDS Number: Date of last issue: 10.08.2021 08.03.2022 1560898-00015 Date of first issue: 21.04.2017 6.0

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media Not applicable

Will not burn

Unsuitable extinguishing

media

Not applicable Will not burn

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Section 6: Accidental release measures

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Titanium dioxide	13463-67-7	WES-TWA	10 mg/m3	NZ OEL
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Aluminium hydroxide	21645-51-2	TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Section 9: Physical and chemical properties

Appearance : solid, crystalline

Colour : white

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : 1,843 °C

Initial boiling point and boiling

range

3,000 °C

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Will not burn

Not expected to form explosive dust-air mixtures.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : 3.4 - 4.3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition

products

No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Titanium dioxide:



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Acute toxicity estimate (Rat): > 2,000 mg/kg

Method: Expert judgement

Assessment: The substance or mixture has no acute dermal

toxicity

Aluminium hydroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5.09 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Trimethylolpropane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Titanium dioxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Aluminium hydroxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Trimethylolpropane:



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version **Revision Date:** SDS Number: Date of last issue: 10.08.2021 08.03.2022 1560898-00015 Date of first issue: 21.04.2017 6.0

Species Result Rabbit

No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Titanium dioxide:

Species : Rabbit

Result No eye irritation

Method : OECD Test Guideline 405

Aluminium hydroxide:

Species : Rabbit

No eye irritation Result

OECD Test Guideline 405 Method

Trimethylolpropane:

Species Rabbit

Result No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Titanium dioxide:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Local lymph node assay (LLNA)

Skin contact Mouse

OECD Test Guideline 429

negative

Inhalation Mouse negative

Inhalation Humans negative



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Aluminium hydroxide:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Trimethylolpropane:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: comet assay Method: OPPTS 870.5140

Result: positive

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay

Species: Rat

Application Route: intratracheal Method: OECD Test Guideline 489

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse



Ti-Pure™ R-706 Titanium Dioxide Pigment

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.08.2021

 6.0
 08.03.2022
 1560898-00015
 Date of first issue: 21.04.2017

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 475

Result: negative

Test Type: Transgenic rodent germ cell gene mutation assay

Species: Mouse

Application Route: Intravenous injection Method: OECD Test Guideline 488

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Aluminium hydroxide:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: equivocal

Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Trimethylolpropane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Product:

Remarks : In lifetime inhalation studies rats were exposed for 2 years to

respectively 10, 50 and 250 mg/m3 of respirable TiO2. Slight lung fibrosis was observed at 50 and 250 mg/m3 levels. Microscopic lung tumours were also observed in 13 percent of the rats exposed to 250 mg/m3, an exposure level that caused lung overloading and impairment of rat lungs clearance mech-



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

anisms.

In further studies, these tumours were found to occur only under particle overload conditions in a uniquely sensitive species, the rat, and have little or no relevance for humans. The pulmonary inflammatory response to TiO2 particles exposure was also found to be much more severe in rats than in other rodent species.

In February 2006, IARC has re-evaluated Titanium dioxide as pertaining to Group 2B: "possibly carcinogenic to humans", based upon inadequate evidence in humans and sufficient evidence in experimental animals for the carcinogenicity of titanium dioxide. IARC evaluation guidelines consider the generation of tumours, in 2 different studies within the same animal species, to be adequate criteria for an assessment of sufficient evidence.

The conclusions of several epidemiology studies on more than 20000 TiO2 industry workers in Europe and the USA did not suggest a carcinogenic effect of TiO2 dust on the human lung. Mortality from other chronic diseases, including other respiratory diseases, was also not associated with exposure to TiO2 dust.

Based upon all available study results, Chemours scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Components:

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Ingestion
Exposure time : 105 weeks
Result : negative

Species: MouseApplication Route: IngestionExposure time: 103 weeksResult: negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Aluminium hydroxide:

Species : Ra

Application Route : inhalation (dust/mist/fume)

Exposure time : 86 weeks
Result : negative

Remarks : Based on data from similar materials



Ti-Pure™ R-706 Titanium Dioxide Pigment

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.08.2021

 6.0
 08.03.2022
 1560898-00015
 Date of first issue: 21.04.2017

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Titanium dioxide:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 443

Result: negative

Effects on foetal develop-

ment

Test Type: Prenatal development toxicity study (teratogenicity)

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

Aluminium hydroxide:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Trimethylolpropane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: positive

Effects on foetal develop-

ment

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 443

Result: positive

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal experi-

ments.

STOT - single exposure

Not classified based on available information.



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Components:

Titanium dioxide:

Exposure routes : Skin contact

Assessment : No significant health effects observed in animals at concentra-

tions of 2000 mg/kg bw or less

Exposure routes : Ingestion

Assessment : No significant health effects observed in animals at concentra-

tions of 2000 mg/kg bw or less

Exposure routes : inhalation (dust/mist/fume)

Assessment : No significant health effects observed in animals at concentra-

tions of 5.0 mg/l/4h or less

STOT - repeated exposure

Not classified based on available information.

Components:

Titanium dioxide:

Exposure routes : Ingestion

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)

Assessment : No significant health effects observed in animals at concentra-

tions of 0.2 mg/l/6h/d or less.

Exposure routes : Ingestion

Assessment : No significant health effects observed in animals at concentra-

tions of 200 mg/kg bw or less.

Repeated dose toxicity

Components:

Exposure time

Titanium dioxide:

Species : Rat, male and female

NOAEL : 24,000 mg/kg
LOAEL : > 24,000 mg/kg
Application Route : Ingestion

Method : OECD Test Guideline 407

Remarks : No significant adverse effects were reported

28 Days

Species : Rat, male and female

NOAEL : 0.01 mg/l LOAEL : 0.5 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 24 Months

Method : OECD Test Guideline 453

Remarks : No significant adverse effects were reported



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Species : Rat, male and female

NOAEL : 962 mg/kg
LOAEL : 962 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Remarks : No significant adverse effects were reported

Aluminium hydroxide:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 364 Days

Method : OECD Test Guideline 426

Remarks : Based on data from similar materials

Species : Rat

NOAEL : > 0.2 mg/kg

Application Route : inhalation (dust/mist/fume)

Exposure time : 12 Months

Remarks : Based on data from similar materials

Trimethylolpropane:

Species : Rat

NOAEL : 67 mg/kg

Application Route : Ingestion

Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Components:

Titanium dioxide:

No aspiration toxicity classification

Section 12: Ecological information

Ecotoxicity

Components:

Titanium dioxide:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Marine species): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia sp. (water flea)): > 1,000 mg/l



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (No species specified): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h Method: ISO 10253

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 3 d

Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 5,600 mg/l

Exposure time: 3 d Method: ISO 10253

Aluminium hydroxide:

Toxicity to fish : LL50 (Salmo trutta (brown trout)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EL50 (Selenastrum capricornutum (green algae)): > 100 mg/l

Exposure time: 96 h

Trimethylolpropane:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1,000 mg/l

Exposure time: 72 h

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Persistence and degradability

Components:

Trimethylolpropane:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 6 % Exposure time: 28 d

Bioaccumulative potential

Components:

Titanium dioxide:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 352

Trimethylolpropane:

Partition coefficient: n-

octanol/water

log Pow: -0.47

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable Proper shipping name : Not applicable Class : Not applicable



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR002503 Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information

Other information : Ti-Pure™ and any associated logos are trademarks or copy-

rights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The

Chemours Company.

Before use read Chemours safety information.



Ti-Pure™ R-706 Titanium Dioxide Pigment

Version Revision Date: SDS Number: Date of last issue: 10.08.2021 6.0 08.03.2022 1560898-00015 Date of first issue: 21.04.2017

For further information contact the local Chemours office or nominated distributors.

These products may not be directly added to food, pharmaceuticals, cosmetics, or cigarette papers/filters for tobacco products

Do not use or resell Chemours[™] materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

In the manufacture of titanium dioxide, product is packaged at temperatures of approximately 100 to 120°C (212 to 248°F). When pigment is shipped shortly after manufacture, it may stay hot for a very long time depending on ambient temperatures and inventory storage practices. Use caution while handling hot pigment to prevent burns to personnel. Use caution in solvent applications to prevent ignition of solvent.

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect



Ti-Pure™ R-706 Titanium Dioxide Pigment

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10.08.2021

 6.0
 08.03.2022
 1560898-00015
 Date of first issue: 21.04.2017

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN



Supplied by Cathay Industries Australasia Pty Ltd

Sydney • Melbourne • Brisbane • Adelaide • Perth www.cathayindustries.com.au | Member of the Global Cathay Industries Group **Sydney Head Office** 103 Vanessa Street, Kingsgrove NSW 2208 T: (02) 9336 1000 | F: (02) 9150 6677 | After hours 0418 221 249

POISONS INFORMATION CENTRE

13 11 26 from anywhere in Australia (0800 764 766 in New Zealand)